According to Attachment II EC Reg. 1907/2006 (REACH)





SiLiglam TEC

First created on: 2017-12-04 2019-10-04 Updated on: Next inspection on: 2020-12-31 Printed on: 2019-10-04 Version: V3/2019

Note: The product is an object defined as an article in the Regulation (EC) No. 1907/2006 (REACH) Art. 3 Par. 3, not classified as dangerous or not containing substances classified as dangerous, so there is no obligation to issue a safety data sheet according to the Regulation (EC) No. 1907/2006 Art. 31 (Requirements for safety data sheets). The following information complies with the obligation according to Art. 32 (for substances on their own or in preparations for which a safety data sheet is not required), and was issued following the structure by Annex II.

1. Identification of the substance / the preparation / the product and identification of the company

1.1 Identification of the substance / the preparation / the product

Trade name: SiLiglam TEC

1.2 Application of the substance / the preparation / the product

To be used as: Colour effect material for plastics and polymers

Unsubscribed use: unknown

1.3 Company identification

Manufacturer / Supplier: Sigmund Lindner GmbH

Oberwarmensteinacher Str. 38

95485 Warmensteinach / GERMANY

Phone: +49-9277-9940 +49-9277-99499 Fax: Web: www.sili.eu

E-Mail: reach@sigmund-lindner.com

Information provided by: Mr. Michael Dressler (Quality and Innovation)

Mr. Reinhold Schneider (Quality Assurance)

1.4 **Emergency Call**

Emergency information: Phone: +49-9277-9940

This telephone number can be reached during Office Hours (CET):

Monday - Thursday: 7.00 AM - 4.30 PM 7.00 AM - 1.00 PM Friday.

2. Possible dangers

2.1 Classification of the substance or mixture

Not classified according to Regulation (EG) No. 1272/2008 (CLP).

2.2. **Labelling elements**

Not subject to labelling according to Regulation (EG) No. 1272/2008 (CLP).

2.3. Additional danger advice

No risks from this product regarding human health or environment are apparent. We therefore have no knowledge of chronic or skin irritating effects when physical contacts has occurred.

Data file: MSDS en SiLiglam TEC Page 1 of 9

According to Attachment II EC Reg. 1907/2006 (REACH)





SiLiglam TEC

First created on: 2017-12-04 Updated on: 2019-10-04

Next inspection on: 2020-12-31 Printed on: 2019-10-04 Version: V3/2019

3. Composition / detailed information on the ingredients

3.1 Substance

Not relevant.

3.2 Mixtures

Description: Solid made of polymers, pigments, fillers and additives

4. First-aid measures

4.1. Description of first aid measures

4.1.1 General Advice

After contact with the melted product contaminated clothes need to be changed. In case of fainting, place and transport the person into recovery position. In case of persisting discomfort please contact a physician. To helpers: Please protect yourself.

4.1.2 After Inhalation

After inhalation of dust particles and in particular decomposition gases, take the injured person into fresh air, lay him down and protect him from hypothermia. In case of a fainting spell and existing breathing, place the person in a stabilized side position. Please contact a physician for treatments.

4.1.3 After Skin Contact

In case of contact with the melted product rinse water over the affected areas of skin for at least 15 min.. Remove contaminated clothes, but do not remove product residues from the skin. Burns have to be covered with sterile bandages. In case of burns, skin irritations or other symptoms please contact a physician.

4.1.4 After Eye Contact

Remove particle carefully from the affected eye. If needed, remove contact lense. Rinse eye 15 minutes thoroughly with plenty of water. Consult a physician if needed.

4.1.5 After Swallowing

Rinse mouth thoroughly and drink plenty of water. In case of indisposition call a physician.

4.2. Main acute and delayed symptoms and effects

No information available

4.3. Advise to the physician

Toxic effects of the product itself except for thermal decomposition and fire are unknown. In case of any discomforts please treat symptomatically

5. Fire fighting actions

5.1. Extinguishing agents

5.1.1 Suitable extinguishing agents:

The product itself is neither combustible nor explosive. Extinguishing agents have to be coordinated with the surrounding fire.

EU Safety Data Sheet According to Attachment II EC Reg. 1907/2006 (REACH)

The German f quality spirit of quality



SiLiglam TEC

First created on: 2017-12-04 Updated on: 2019-10-04

Next inspection on: 2020-12-31 Printed on: 2019-10-04 Version: V3/2019

5.1.2 For safety reason unsuitable extinguishing agents

Jet of water.

5.2. Special hazards arising from the substance or mixture

Carbon monoxides (CO) and other toxic and flammable gases can be released.

5.3. Special protective equipment

An independent respiratory device (isolation device) should be used.

5.4. Additional advice

The product can ignite in case of fire and can continue to burn outside of the source of ignition. Toxic-, flammable gases and vapours can be released through thermal decomposition. It is possible that flames can spread through spontaneous ignition of gaseous decomposition products. Please cool the melted product with water. Collect the burn residues and water for fire fighting in compliance with the legal regulations.

6. Measures by accidental release

6.1. Personal precautions, protective equipment and emergency procedures

Avoid formation of dust, do not inhale dust. Keep sources of ignition away from the dust.

6.2. <u>Environmental measures</u>

Waste water must be mechanically cleaned from rest products prior to emptying into the sewer system.

6.3. Cleaning procedures and absorption

Dry absorption and if possible re-utilisation of the material.

6.4. Reference to other sections

Personal protective equipment according to section 8.2, disposal according to section 13.

7. Handling and storage

7.1. Protective measures for safe handling

7.1.1 Safety advice

Avoid overheating through improper processing and dusting.

7.1.2 Technical protective measures

Local ventilation and airing guarantee, that all limits mentioned under point 8.1 are maintained.

7.1.3 Fire and explosion protection information



Keep away from sources of ignitio

7.2. Conditions for safe storage under consideration of incompatibilities

7.2.1 Requirements for storage in rooms and containers

No special storage necessary. Storage in tightly closed (original) container.

Data file: MSDS en SiLiglam TEC Page 3 of 9

EU Safety Data Sheet According to Attachment II EC Reg. 1907/2006 (REACH)

The German quality spirit of quality



Version: V3/2019

SiLiglam TEC

First created on: 2017-12-04 Updated on: 2019-10-04

Next inspection on: 2020-12-31 Printed on: 2019-10-04

7.2.2 Additional details regarding storage

Protect from heat. Comply with the appropriate regulations of the company's fire prevention measures

7.2.3 Information on storage in one common storage facility:

Storage class according to TRGS 510: LGK 11 (flammable solid materials). No incompatible products to mention.

7.3. Specific end uses

See section 1.2.

8. Exposure limits and personal protection

8.1 Parameters to be monitored

Mechanical dry processing of the product can generate a risk of dust: The local limits of dust concentration at the work have to be considered.

Parameter	Limit values dust	
General limit value	10 mg/m³ E	Limit at work (AGW) according to the TRGS 900 Regulation
	1.25 mg/m ³ A	

8.2 Exposure controls and monitoring

8.2.1 Technical protection measures

An on-site extraction system is required in the event of gathered dust and thermal pollution from the product

8.2.2 Personal protection equipment

8.2.2.1 Respiratory protection



Use respiratory protection in the event of dust exposure, e.g. a P1 dust mark that conforms to EN 143 or a half mask with particle filter FFP1 or PP2 conforms to EN 141. Caution! Limited wearing period.

8.2.2.2 Hand protection

Protective gloves are generally not required. In case of constant skin contact, gloves are sufficient for low mechanical and material stress, see also BGR 195, e.g.:

Material: Materialthickness Penetration time:

Butylrubber mind. 0,4 mm mind. 30 min. acc. to DIN EN 374

8.2.2.3 Eye protection



Side-shielded safety goggles that conform to EN 166 are required when carrying out mechanical processing with exposure to dust.


8.2.2.3 Body protection

Safety shoes to wear the product, as well as normal work clothes are sufficient...

8.2.2.4 General industrial safety and hygiene measures

Do not inhale dust. Avoid contact with eyes. Do not eat, drink or smoke while working. Wash hands before breaks and at the end of work.

According to Attachment II EC Reg. 1907/2006 (REACH)





SiLiglam TEC

8.2.3 Limitation and monitoring of environmental exposure

Environmentally hazardous properties of the product are not known, so that the general operational measures for environmental protection are sufficient.

9. Physical and chemical properties

9.1 General details

Physical condition: Solid

Shape: Glitter particles hexagonal shape

Odour: Odourless
Colour: black / silver

9.2 Important details regarding health / environmental protection as well as safety

pH value: Non-applicable

Heat resistance: 230 °C

Melting point / melting range: Non-applicable

Boiling point / boiling range: Cannot be measured as decomposition occurs first

Flash point: Non-applicable Ignition temperature: > 300 ° C

Self-ignition point (Solid/Gas): Not self-igniting

Blaze properties: None

Risk of explosion: Possible dust- or decomposition gas explosion

Vapour pressure: To be disregarded

Specific weight: 1.30 kg/dm³
Bulk density: 0.60 kg/dm³
Water solubility: Insoluble in water
Partition coefficient n-Octanol/ Non-applicable

water:

Viscosity: Non-applicable Vapour density: Non-applicable Evaporation speed: Non-applicable

9.3 Additional details

There are no further details required regarding safety-relevant parameters.

10. Stability and reactivity

It is recommended to carry out a trial run prior to processing the product.

10.1. Reactivity

Not reactive under the stated conditions of use and storage.

10.2 Conditions to be avoided

Pyrolysis, dangerous decomposition products and dangerous reactions will not occur if the product is used as intended.

According to Attachment II EC Reg. 1907/2006 (REACH)





Page 6 of 9

SiLiglam TEC

10.3 Substances to be avoided

Potent acids, bases and oxidation agents. Protect from temperatures > 150 °C

10.4 Dangerous decomposition products when heated

Aldehyde, carbon monoxide, carbon dioxide, hydrocarbons.

11. Toxicological data

11.1. Information on toxicological effects

11.1.1 Toxicokinetics, metabolism and distribution

No data available.

11.1.2 Acute toxicity

No data available.

11.1.3 Etching and irritant effects

The contact with the melted product can cause burn wounds. The inhalation of dust and decomposition gases can cause health defects.

11.1.4 Sensitizing effects

No sensitizing effects on skin and respiratory organs known.

11.1.5 Specific organ toxicity at single or repeated exposure

No organtoxic effects known.

11.1.6 Carcinogenicity, mutagenicity and reproductive toxicity

No carcinogenic, mutagenic or toxic to reproduction effects known.

12. Environmental details

12.1. Toxicity

No data available.

12.2. Persistence and degradability

The product is insoluble and the inorganic substances it contains are not bioavailable.

12.3. Bioaccumulation potential

The product is insoluble and the inorganic substances it contains are not bioavailable, thus not bioaccumulative.

12.4. Mobility in the ground


The product is insoluble and therefore not mobile.

12.5. Other adverse effects

Ozone depletion potential and greenhouse effect are not known.

Ecological and ecotoxicological data are not available. A threat to the environment is not to be expected if the product is handled and disposed of safely.

According to Attachment II EC Reg. 1907/2006 (REACH)





SiLiglam TEC

First created on: 2017-12-04 Updated on: 2019-10-04

Next inspection on: 2020-12-31 Printed on: 2019-10-04 Version: V3/2019

13. Notes on disposal

13.1 Waste treatment process

The product does not generate any waste that is subject to monitoring in accordance with Regulation (EU) No. 1357/2014. For disposal, national laws and local regulations must be observed.

13.1.1 **Product**

Product residues should be reused wherever possible.

13.1.2 Uncleaned packaging

Recommendation: Non-contaminated packaging can be reused. Cleaning agent Water.

14. Information on Transport

14.1	UN-Number	not relevant

14.2. Proper UN shipping name not relevant

14.3. Transport hazard classes not relevant

14.4. Packaging group not relevant

14.5. Environmental hazards see section 14

14.6. Special precautions for the user see section 7

14.7. Transport in bulk in accordance with Annex II

to the MARPOL Convention and the IBC Code not relevant

Note: No dangerous goods as defined by ADR/RID/ADN/GGVSEB, ICAO/IATA, IMDG.

15. Legal provisions

15.1 <u>Safety, health and environmental protection/legislation specific to the substance or mixture</u>

15.1.1 EU-regulations

Classification and labelling: None according to Directive (EC) No. 1272/2008 (CLP)

or other known EU regulations.

15.1.2 National regulations

Classification and labelling: None according to the Hazardous Substances

Ordinance (GefStoffV) or according to other

known national regulations

Employment restrictions: None according to GefStoffV, JArbSchG or MuSchV

Major Accidents Ordinance: The product is not subject to the Major Accidents

Ordinance.

Water hazard class: No WGK, not hazardous to water according to AwSV.

According to Attachment II EC Reg. 1907/2006 (REACH)





SiLiglam TEC

16. Additional information

16.1 Recommended Limitations of Use

SiLiglam is not a toy and must therefore be stored away from children. A resale as toy requires the EC conformity evaluation and the distributor's compliance with the legal regulations. We expressly point out, that a conformity evaluation in this sense has not been carried out by us.

16.2 Further information

Company details: Sigmund Lindner GmbH

Oberwarmensteinacher Str. 38 95485 Warmensteinach / GERMANY

Phone: +49-9277-9940 Fax: +49-9277-99499 Web: www.sili.eu

Technical contacts: Mr. Erwin Pschierer (Product Manager Glitter) information Mrs. Manuela Pilz (Product Manager Glitter)

16.3 <u>Used abbreviations</u>

A: Alveolar Dust

ADR: Accord européen sur le transport des marchandises dangereuses par Route

(European Agreement concerning the International Carriage of Dangerous

Goods by Road)

AGW: Occupational exposure limit according to TRGS 900

CAS: Chemical Abstracts Service (division of the American Chemical Society)

CI N°: Colour Index Number

CLP: Classification, Labelling and Packaging of Substances and Mixtures

E: Inhalable Dust

EC N°: EINECS Number (European Inventory of Existing Commercial Chemical

Substances)

FDA/CFR: Code of Federal Regulations - Title 21 - Food and Drugs

GHS: Globally Harmonized System of Classification and Labelling of Chemicals

IATA: International Air Transport Association ICAO: International Civil Aviation Organization

IMDG: International Maritime Code for Dangerous Goods

REACH: Regulation on Registration, Evaluation, Authorisation and Restriction of

Chemicals.

RID: Règlement international concernant le transport des marchandises


dangereuses par chemin de fer (Regulations Concerning the International

Transport of Dangerous Goods by Rail)

TRGS: Technical Rules for Hazardous Substances

WGK: Water hazard class

According to Attachment II EC Reg. 1907/2006 (REACH)





SiLiglam TEC

16.4 Remarks

All details noted in this data sheet correspond to our knowledge at the time this data sheet has been put into effect. This information should be used as a guideline for a safe treatment in accordance with the products mentioned in our material safety data sheet, during storage, production, transport and disposal. This information is not applicable to other products, to newly produced materials, if the product mentioned in this material safety data sheet is mixed or blended with other articles or when other transformations are made to it.

Date of the current version: 2019-10-04

Reason for the current version: Adaptation to Regulation (EU) 2015/830 amending Regulation

(EC) No 1907/2006 (REACH), Annex II

Replaced issue: MSDS SiLiglam Cosmetic TEC, Version 2/2019