
According to Attachment II EC Reg. 1907/2006 (REACH)





SiLiglam PURE Cosmetic Glitter

 First created on:
 2016-08-16
 Updated on:
 2022-03-30

 Next inspection on:
 2022-12-31
 Printed on:
 2022-03-30

 Version:
 Version:
 V6/2022

Note: The product is an object defined as an article in the Regulation (EC) No. 1907/2006 (REACH) Art. 3 Par. 3, not classified as dangerous or not containing substances classified as dangerous, so there is no obligation to issue a safety data sheet according to the Regulation (EC) No. 1907/2006 Art. 31 (Requirements for safety data sheets). The following information complies with the obligation according to Art. 32 (for substances on their own or in preparations for which a safety data sheet is not required) and was issued following the structure by Annex II.

1. Identification of the substance / the preparation / the product and identification of the company

1.1 Identification of the substance / the preparation / the product

Trade name: SiLiglam PURE Cosmetic Glitter Type CC

1.2 Application of the substance / the preparation / the product

To be used as: Raw material / additive for cosmetics

Unsubscribed use: unknown

1.3 Company identification

Manufacturer / Supplier: Sigmund Lindner GmbH

Oberwarmensteinacher Str. 38

95485 Warmensteinach / GERMANY

Phone: +49-9277-9940
Fax: +49-9277-99499
Web: www.sili.eu
E-Mail: reach@sili.eu

Information provided by: Mr. Michael Dressler (Head of Quality)

Mr. Reinhold Schneider (Quality Manager)

1.4 Emergency Call

Emergency information: Phone: +49-9277-9940

This telephone number can be reached during Office Hours (CET):

Monday - Thursday: 7.00 AM - 4.30 PM Friday. 7.00 AM - 1.00 PM

2. Possible dangers

2.1 Classification of the substance or mixture

Not classified according to Regulation (EG) No. 1272/2008 (CLP).

2.2. Labeling elements

Not subject to labeling according to Regulation (EG) No. 1272/2008 (CLP).

2.3. Additional danger advice

No risks from this product regarding human health or environment are apparent. We therefore have no knowledge of chronic or skin irritating effects when physical contacts have occurred.

The German f quality spirit of quality



According to Attachment II EC Reg. 1907/2006 (REACH)

SiLiglam PURE Cosmetic Glitter

 First created on:
 2016-08-16
 Updated on:
 2022-03-30

 Next inspection on:
 2022-12-31
 Printed on:
 2022-03-30

 Version:
 V6/2022

3. Composition / detailed information on the ingredients

3.1 Substance

Not relevant.

3.2 Mixtures

Description: Solid made of coated polyester foil

3.3 Ingredients

Substance Name	Classification	Weight	CAS N°	EC N°	REACH Reg. N°
Coating *)	no hazardous substance	3.8 %	none	none	no registration
CI 19140:1	no hazardous substance		12225-21-7	235-428-9	01-2119950328-34
CI 77510	Aquatic Chronic 4; H413		25869-00-5	247-304-1	01-2119555296-32
CI 77492	no hazardous substance		51274-00-1	257-098-5	01-2119457554-33
CI 77491	no hazardous substance		1309-37-1	215-168-2	01-2119457614-35
CI 77007	no hazardous substance		57455-37-5	691-383-9	no registration
CI 77499	no hazardous substance	2 %	1317-61-9	215-277-5	01-2119457646-28
CI 47005	no hazardous substance		95193-83-2	305-897-5	01-2120752822-53
CI 77742	no hazardous substance		10101-66-3	233-257-4	01-2119973495-24
CI 16035	no hazardous substance		25956-17-6	247-368-0	01-2119935928-21
CI 77266 (nano)	no hazardous substance		1333-86-4	215-609-9	01-2119384822-32
CI 77891	no hazardous substance		13463-67-7	643-044-1	01-2119489379-17
Polyethylene Terephthalate Polymers	no hazardous substance	94.2 %	25038-59-9	607-507-1	no registration

^{*)} Formulation: 0.4 % Phenyl Methicone CAS# 31230-04-3 / 0.3 % Polyvinyl Alcohol CAS# 9002-89-5 /

4. First-aid measures

4.1 <u>Description of first aid measures</u>

4.1.1 General Advice

After contact with the melted product contaminated clothes need to be changed. In case of fainting, place and transport the person into recovery position. In case of persisting discomfort please contact a physician. To helpers: Please protect yourself.

4.1.2 After Inhalation

After inhalation of dust particles and in particular decomposition gases, take the injured person into fresh air, lay him down and protect him from hypothermia. In case of a fainting spell and existing breathing, place the person in a stabilized side position. Please contact a physician for treatments.

4.1.3 After Skin Contact

In case of contact with the melted product rinse water over the affected areas of skin for at least 15 minutes. Remove contaminated clothes, but do not remove product residues from the skin. Burns have to be covered with sterile bandages. In case of burns, skin irritations or other symptoms please contact a physician.

^{0.3 %} Polyvinyl Butyral CAS# 63148-65-2 / 2.5 % Acrylates Copolymer CAS# 25035-69-2 /

^{0.3 %} Dimethicone CAS# 63148-62-9

The German quality spirit of quality



According to Attachment II EC Reg. 1907/2006 (REACH)

SiLiglam PURE Cosmetic Glitter

 First created on:
 2016-08-16
 Updated on:
 2022-03-30

 Next inspection on:
 2022-12-31
 Printed on:
 2022-03-30

 Version:
 V6/2022

4.1.4 After Eye Contact

Remove particle carefully from the affected eye. If needed, remove contact lens. Rinse eye 15 minutes thoroughly with plenty of water. Consult a physician if needed.

4.1.5 After Swallowing

Rinse mouth thoroughly and drink plenty of water. In case of indisposition call a physician.

4.2. Main acute and delayed symptoms and effects

No information available.

4.3. Advise to the physician

Toxic effects of the product itself except for thermal decomposition and fire are unknown. In case of any discomforts please treat symptomatically.

5. Firefighting actions

5.1 **Extinguishing agents**

5.1.1 Suitable extinguishing agents:

The product itself is neither combustible nor explosive. Extinguishing agents have to be coordinated with the surrounding fire.

5.1.2 For safety reason unsuitable extinguishing agents

Jet of water.

5.2. Special hazards arising from the substance or mixture

Carbon monoxides (CO) and other toxic and flammable gases can be released.

5.3. Special protective equipment

An independent respiratory device (isolation device) should be used.

5.4. Additional advice

The product can ignite in case of fire and can continue to burn outside of the source of ignition. Toxic-, flammable gases and vapours can be released through thermal decomposition. It is possible that flames can spread through spontaneous ignition of gaseous decomposition products. Please cool the melted product with water. Collect the burn residues and water for firefighting in compliance with the legal regulations.

6. Measures by accidental release

6.1. Personal precautions, protective equipment and emergency procedures

Avoid formation of dust, do not inhale dust. Keep sources of ignition away from the dust.

6.2. <u>Environmental measures</u>

Wastewater must be mechanically cleaned from rest products prior to emptying into the sewer system.

6.3. Cleaning procedures and absorption

Dry absorption and if possible, re-utilisation of the material.

6.4. Reference to other sections

Personal protective equipment according to section 8.2, disposal according to section 13.

According to Attachment II EC Reg. 1907/2006 (REACH)





SiLiglam PURE Cosmetic Glitter

 First created on:
 2016-08-16
 Updated on:
 2022-03-30

 Next inspection on:
 2022-12-31
 Printed on:
 2022-03-30

 Version:
 V6/2022

7. Handling and storage

7.1. Protective measures for safe handling

7.1.1 Safety advice

Avoid overheating through improper processing and dusting.

7.1.2 Technical protective measures

Local ventilation and airing guarantee, that all limits mentioned under point 8.1 are maintained.

7.1.3 Fire and explosion protection information



Keep away from sources of ignition.

7.2. Conditions for safe storage under consideration of incompatibilities

7.2.1 Requirements for storage in rooms and containers

No special storage necessary. Storage in tightly closed (original) container.

7.2.2 Additional details regarding storage

Protect from heat. Comply with the appropriate regulations of the company's fire prevention measures.

7.2.3 Information on storage in one common storage facility:

Storage class according to TRGS 510: LGK 11 (flammable solid materials). No incompatible products to mention.

7.3. Specific end uses

See section 1.2.

8. Exposure limits and personal protection

8.1 Parameters to be monitored

Mechanical dry processing of the product can generate a risk of dust: The local limits of dust concentration at the work have to be considered.

Parameter	Limit values dust		
General limit value	10 mg/m³ E	Limit at work (AGW) according to the TRGS 900 Regulation	
	1.25 mg/m ³ A		

8.2 Exposure controls and monitoring

8.2.1 <u>Technical protection measures</u>

An on-site extraction system is required in the event of gathered dust and thermal pollution from the product.

8.2.2 Personal protection equipment

8.2.2.1 Respiratory protection



Use respiratory protection in the event of dust exposure, e.g., a P1 dust mark that conforms to EN 143 or a half mask with particle filter FFP1 or PP2 conforms to EN 141. Caution! Limited wearing period.

The German quality spirit of quality



According to Attachment II EC Reg. 1907/2006 (REACH)

SiLiglam PURE Cosmetic Glitter

 First created on:
 2016-08-16
 Updated on:
 2022-03-30

 Next inspection on:
 2022-12-31
 Printed on:
 2022-03-30

 Version:
 V6/2022

8.2.2.2 Hand protection

Protective gloves are generally not required. In case of constant skin contact, gloves are sufficient for low mechanical and material stress, see also BGR 195, e.g.:

Material: Material thickness Penetration time:

Butyl rubber min. 0.4 mm min. 30 min. acc. to DIN EN 374

8.2.2.3 Eye protection



Side-shielded safety goggles that conform to EN 166 are required when carrying out mechanical processing with exposure to dust.

8.2.2.3 Body protection

Safety shoes to wear the product, as well as normal work clothes are sufficient.

8.2.2.4 General industrial safety and hygiene measures

Do not inhale dust. Avoid contact with eyes. Do not eat, drink or smoke while working. Wash hands before breaks and at the end of work.

8.2.3 <u>Limitation and monitoring of environmental exposure</u>

Environmentally hazardous properties of the product are not known, so that the general operational measures for environmental protection are sufficient.

9. Physical and chemical properties

9.1 General details

Physical condition: Solid

Shape: Glitter particles in hexagonal shape

Odour: Odourless

Colour: Various (refer to table regarding colour proportions,

Chapter 3.3)

9.2 Important details regarding health / environmental protection as well as safety

pH value: Not applicable

Heat resistance: 175 °C

Melting point / melting range: 235 to 290 °C - depending on the crystallinity of the

polyester

Boiling point / boiling range: Cannot be measured as decomposition occurs first

Flash point: Not applicable lquition temperature: > 300 ° C

Self-ignition point (Solid/Gas): Not self-igniting

Blaze properties: None

Risk of explosion: Possible dust- or decomposition gas explosion

Vapour pressure: To be disregarded Specific weight: 1.38 kg/dm³

Water solubility: Insoluble in water Partition coefficient n-Octanol/ Not applicable

water:

Viscosity: Not applicable Vapour density: Not applicable Evaporation speed: Not applicable

The German quality spirit of quality



According to Attachment II EC Reg. 1907/2006 (REACH)

SiLiglam PURE Cosmetic Glitter

 First created on:
 2016-08-16
 Updated on:
 2022-03-30

 Next inspection on:
 2022-12-31
 Printed on:
 2022-03-30

 Version:
 V6/2022

9.3 Additional details

There are no further details required regarding safety-relevant parameters.

10. Stability and reactivity

It is recommended to carry out a trial run prior to processing the product.

10.1. Reactivity

Not reactive under the stated conditions of use and storage.

10.2 Conditions to be avoided

Pyrolysis, dangerous decomposition products and dangerous reactions will not occur if the product is used as intended.

10.3 Substances to be avoided

Potent acids, bases, and oxidation agents. Protect from temperatures > 150 °C

10.4 Dangerous decomposition products when heated

Aldehyde, carbon monoxide, carbon dioxide, hydrocarbons.

11. Toxicological data

11.1. Information on toxicological effects

11.1.1 Toxicokinetic, metabolism and distribution

No data available.

11.1.2 Acute toxicity

No data available.

11.1.3 Etching and irritant effects

The contact with the melted product can cause burn wounds. The inhalation of dust and decomposition gases can cause health defects.

11.1.4 Sensitizing effects

No sensitizing effects on skin and respiratory organs known.

11.1.5 Specific organ toxicity at single or repeated exposure

No organ toxic effects known.

11.1.6 Carcinogenicity, mutagenicity, and reproductive toxicity

No carcinogenic, mutagenic, or toxic to reproduction effects known.

12. Environmental details

12.1. Toxicity

No data available.

12.2. Persistence and degradability

The product is insoluble and the inorganic substances it contains are not bioavailable.

The German f quality spirit of quality



According to Attachment II EC Reg. 1907/2006 (REACH)

SiLiglam PURE Cosmetic Glitter

 First created on:
 2016-08-16
 Updated on:
 2022-03-30

 Next inspection on:
 2022-12-31
 Printed on:
 2022-03-30

 Version:
 V6/2022

12.3. Bioaccumulation potential

The product is insoluble and the inorganic substances it contains are not bioavailable, thus not bio accumulative.

12.4. Mobility in the ground

The product is insoluble and therefore not mobile.

12.5. Other adverse effects

Ozone depletion potential and greenhouse effect are not known.

Ecological and ecotoxicological data are not available. A threat to the environment is not to be expected if the product is handled and disposed of safely.

13. Notes on disposal

13.1 Waste treatment process

The product does not generate any waste that is subject to monitoring in accordance with Regulation (EU) No. 1357/2014. For disposal, national laws and local regulations must be observed.

13.1.1 Product

Product residues should be reused wherever possible.

13.1.2 Uncleaned packaging

Recommendation: Non-contaminated packaging can be reused. Cleaning agent Water.

14. Information on Transport

14.1	<u>UN-Number</u>	not relevant
14.2.	Proper UN shipping name	not relevant

14.3. Transport hazard classes not relevant

14.4. Packaging group not relevant

14.5. Environmental hazards see section 14

14.6. Special precautions for the user see section 7

14.7. Transport in bulk in accordance with Annex II

to the MARPOL Convention and the IBC Code not relevant

Note: No dangerous goods as defined by ADR/RID/ADN/GGVSEB, ICAO/IATA, IMDG.

15. Legal provisions

15.1 <u>Safety, health, and environmental protection/legislation specific to the substance or mixture</u>

15.1.1 EU-regulations

Classification and labelling: None according to Directive (EC) No. 1272/2008 (CLP) or other known EU regulations.

According to Attachment II EC Reg. 1907/2006 (REACH)





SiLigiam PURE Cosmetic Glitter

First created on: Updated on: 2016-08-16 2022-03-30 Next inspection on: 2022-12-31 Printed on: 2022-03-30 Version: V6/2022

15.1.2 National regulations

Classification and labelling: None according to the Hazardous Substances

Ordinance (GefStoffV) or according to other

known national regulations

Employment restrictions: None according to GefStoffV, JArbSchG or MuSchV

Major Accidents Ordinance: The product is not subject to the Major Accidents

Ordinance.

Water hazard class: No WGK, not hazardous to water according to AwSV.

Additional information 16.

16.1 16.1 Summary of the H-Statements (chapters 3.3)

H413 May cause long lasting harmful effects to aquatic life

16.2 **Recommended Limitations of Use**

Glitter is not a toy and must therefore be stored away from children. A resale as toy requires the EC conformity evaluation and the distributor's compliance with the legal regulations. We expressly point out, that a conformity evaluation in this sense has not been carried out by us.

16.3 **Further information**

Sigmund Lindner GmbH Company details:

Oberwarmensteinacher Str. 38

95485 Warmensteinach / GERMANY

Phone: +49-9277-9940 Fax: +49-9277-99499

Web: www.sili.eu

Technical contacts: Mr. Erwin Pschierer (Product Manager Glitter) information

Mrs. Manuela Pilz (Product Manager Glitter)

16.4 **Used abbreviations**

Alveolar Dust A:

ADR: Accord européen relative au transport international des marchandises

Dangereuses par Route (European Agreement concerning the International

Carriage of Dangerous Goods by Road)

AGW: Occupational exposure limit according to TRGS 900

BGW: Biological limit value according to TRGS 903

CAS: Chemical Abstracts Service (division of the American Chemical Society)

CI No: Color Index Number

CLP: Classification, Labelling and Packaging of Substances and Mixtures

F٠ Inhalable Dust

EC No: EINECS Number (European Inventory of Existing Commercial Chemical

Substances)

According to Attachment II EC Reg. 1907/2006 (REACH)





SiLiglam PURE Cosmetic Glitter

 First created on:
 2016-08-16
 Updated on:
 2022-03-30

 Next inspection on:
 2022-12-31
 Printed on:
 2022-03-30
 Version: V6/2022

GHS: Globally Harmonized System of Classification and Labeling of Chemicals

IATA: International Air Transport Association ICAO: International Civil Aviation Organization

IMDG: International Maritime Code for Dangerous Goods

REACH: Regulation on Registration, Evaluation, Authorization and Restriction of

Chemicals.

RID: Règlement concernant le transport international ferroviaire des

marchandises dangereuses (Regulations Concerning the International

Transport of Dangerous Goods by Rail)

TRGS: Technical Rules for Hazardous Substances

WGK: Water hazard class

16.5 Remarks

All details noted in this data sheet correspond to our knowledge at the time this data sheet has been put into effect. This information should be used as a guideline for a safe treatment in accordance with the products mentioned in our material safety data sheet, during storage, production, transport and disposal. This information is not applicable to other products, to newly produced materials, if the product mentioned in this material safety data sheet is mixed or blended with other articles or when other transformations are made to it.

Date of the current version: 2022-03-30

Reason for the current version: yearly Revision, without any change

Replaced issue: MSDS en SiLiglam PURE Cosmetic Glitter Type CC,

Version V5/2021